

Press Release

Contact:

Gary Mason
Phone: +1 248 560 8480
E-mail: gary.mason@tognum.com

**Agency contact:**

Robert E. Sheldon, APR
Phone: +1 210 828 1880
E-mail: rsheldon@cccinc.com

Energy-efficient data center achieves 2N reliability; MTU Onsite Energy generator sets provide critical backup

California data center's industry-leading Power Use Effectiveness rating helps reduce the cost of 2N standby power redundancy and improve reliability.

Santa Clara, Calif., September 4, 2012 – Large data centers can be big power users due to racks and racks of computer servers and the critical air conditioning and ventilation equipment required for cooling. However, when a data center can improve its overall energy efficiency, it not only reduces operating costs but also the requirements for its emergency standby power system, which can in turn make it affordable to size the system for full 2N redundancy (twice the number of generators for a given load). That's what Vantage Data Centers did at their new data center campus in Santa Clara, California, using novel energy-saving techniques and emergency standby generator sets from Tognum brand MTU Onsite Energy. For Vantage's 73,000-square-foot expansion facility called V2, the company specified six MTU Onsite Energy generator sets that provide a total of 18 MW of standby power for the facility's 9 MW load.

-more-



2/8

Energy efficiency is central to Vantage Data Centers' business model. According to Greg Ness, chief marketing officer, Vantage Data Centers, the company “develops highly efficient and customizable data centers that significantly reduce IT infrastructure, cooling costs and carbon emissions so customers can substantially reduce their total cost of operations.” While the company's customers include leading players in social networking, social commerce, online social gaming, cloud storage and video game development, the V2 facility has been leased to a single tenant.

Unique cooling system saves energy

The heart of Vantage's energy-saving design is the facility's cooling system. According to Ness, the V2 facility incorporates an energy-efficient “penthouse” cooling design that uses filtered outside air flowing down on the racks of servers. Lowering the static pressure inside the building reduces the velocity of the cooling air, significantly cutting year-round power consumption.

One of the measures of data center efficiency is Power Usage Effectiveness (PUE). PUE is defined as the total facility power consumption divided by the total IT equipment power consumption. A PUE of 1.0 would mean that all of the facility's power would be consumed by the IT equipment with no power used for cooling, chillers, pumps or fans — an ideal but unobtainable goal. Vantage's V2 facility has a PUE of 1.12, putting it in the forefront of data centers. According to the Uptime Institute (a third-party organization focused on improving data center

-more-



3/8

performance and efficiency), typical data centers have average PUEs above 1.9, and some even have a rating as high as PUE 3.0 — meaning that two-thirds of a facility's power consumption would be used for cooling and only one-third for the IT equipment. In addition, finding operational efficiencies has significant implications for sizing of the emergency standby power system: The lower the overall energy needs are, the more redundancy a data center can afford to build into its emergency standby power system. The result is much higher redundancy and reliability for no more investment — a critical factor for data centers that need to maintain near-100 percent uptime.

Vantage selected emergency standby generator sets from MTU Onsite Energy for the V2 data center based on performance, according to Steve Homan of Valley Power Systems, the local MTU Onsite Energy distributor that supplied the generator sets. "MTU Onsite Energy generator sets were selected based on superior load acceptance and transient performance — the ability of these generator sets to be hit with full load and then quickly recover voltage and frequency," said Homan. "One of the reasons for this performance advantage was that we found that the open protocol design of our generator control systems worked well with the paralleling switchgear that Vantage had selected."

-more-



4/8

Standby generators feature high-displacement engines

The six 3,000 kW generator sets are located outdoors in individual weather-tight enclosures with sound attenuation. Each generator set features an MTU 20V 4000 generator-drive engine with approximately 20 percent more cylinder displacement than other engines of similar horsepower. “The greater displacement supplies more reserve torque and is one of the reasons the MTU Onsite Energy generators can absorb full load in one step and recover quickly,” said Homan. “The greater displacement also reduces fuel consumption and reduces stress on the engine’s internal parts, improving reliability and longevity.” Each generator set is also equipped with dual starter motors and dual best batteries for additional starting reliability.

“We initially deployed these six standby generator sets for V2, but we plan on having a total of ten generator sets when the building is complete,” said Jennifer Fraser, director of design construction for Vantage Data Centers. “The facility is designed for growth, and the self-contained generator sets are located outdoors so we can incrementally increase the number of generators more easily.” To comply with local environmental ordinances, the generator enclosures are sound attenuated to a maximum 73 dBA. In addition, each generator-drive engine is outfitted with a diesel particulate filter (DPF) to capture any soot in the exhaust in order to comply with California’s strict air quality rules.

-more-



5/8

Redundancy ensures reliability

Like most mission-critical data centers, the V2 facility has redundancies in its power supply to prevent loss of data or service during utility outages. According to Fraser, the facility has utility feeds from two different substations in addition to static UPS (Uninterruptible Power Supply) systems and emergency standby generators. In the event that one utility feed fails, the second feed would automatically take over and supply the facility. If both utility feeds fail, the UPS system would supply power to the servers while all six generators start, reach rated voltage and frequency, parallel with each other and take over the load. All six generators would remain online for the duration of the utility outage. With the 2N design, in the unlikely event that one or more of the generators did not start, there would still be enough standby power to supply the load. The generators are supplied with enough fuel for approximately 24 hours of operation before resupply is necessary.

Southern California is also earthquake country, and all of the enclosures and the MTU Onsite Energy generator sets have been seismically certified by an independent testing laboratory to withstand an earthquake. "All of Vantage Data Centers' projects are designed to the International Building Code seismic standard and carry a critical facility importance factor of $I=1.5$," said Fraser. Facilities that carry an $I=1.5$ rating have life-safety or mission critical issues that require emergency standby generator sets that can survive an earthquake and still operate normally.

-more-



6/8

Commissioning verifies design

The V2 emergency standby power system went through a rigorous commissioning process to make sure all the components performed as designed. During this process, the generator sets are connected to a load bank to simulate the building load and a utility power interruption. It is especially important during this test to verify that the various controls and microprocessors on the generator sets, the transfer switches and the paralleling switch gear communicate reliably. According to Homan, “The commissioning went so well that Vantage and their onsite engineer said it was one of the best commissioning tests they had ever witnessed.”

Vantage Data Centers’ design approach is a model for energy efficiency, as well as power reliability and resulting business continuity. Through innovative design of building and mechanical systems, plus careful integration of emergency standby power systems, Vantage will be able to supply the growing data center needs in their region at the highest level of reliability.

-more-




7/8

Photos courtesy of Vantage Data Centers



Vantage Data Centers' campus in Santa Clara, California, uses novel energy-saving techniques and emergency standby generator sets from MTU Onsite Energy for building V2.



One of six MTU Onsite Energy 3,000 kW generator sets that supply emergency standby power to building V2, this unit is being installed in a weather-tight enclosure located outside the data facility.



A photo of an empty server floor at one of Vantage's Santa Clara data center buildings, taken soon after construction and before tenant move-in.



Reliable communications between the generator sets and the paralleling equipment was a key factor in selecting MTU Onsite Energy.

- End -

-more-



8/8

About MTU Onsite Energy

MTU Onsite Energy is a leading producer of diesel-powered generator sets from 30 to 3,250 kW and natural gas-powered generator sets from 30 to 400 kW for standby, prime power and cogeneration applications. The company also provides automatic transfer switches, paralleling switchgear, controls and accessories for complete power system solutions. MTU Onsite Energy is a subsidiary of Tognum America Inc., part of the Germany-based Tognum Group.

www.mtu-online.com

About Tognum America

Tognum America (formerly MTU Detroit Diesel) is a Tognum Group company and is responsible for the manufacture, sales and support of MTU and MTU Onsite Energy branded products in North and Latin America.

Tognum

With its two business units, Engines and Onsite Energy, the Tognum Group is one of the world's leading suppliers of engines and propulsion systems for off-highway applications and of distributed power generation systems. These products are based on diesel engines with up to 9,100 kilowatts (kW) power output, gas engines up to 2,150 kW and gas turbines up to 45,000 kW.

The product portfolio of the Engines business unit comprises MTU engines and propulsion systems for ships, for heavy land, rail and defense vehicles and for the oil and gas industry. The Onsite Energy business unit supplies distributed power generation systems carrying the MTU Onsite Energy brand. These comprise diesel engines for emergency power, prime power and continuous power, as well as cogeneration power plants based on gas engines and gas turbines that generate both power and heat. Tognum's product portfolio also features fuel-injection systems built by L'Orange.

In 2011, Tognum generated revenue of around €2.97 billion and employs more than 10,000 people. Tognum has a global manufacturing, distribution and service structure with 24 fully consolidated companies, more than 140 sales partners and over 500 authorized dealerships at approximately 1,200 locations. Since September 2011, Engine Holding GmbH, a joint venture between Daimler AG and Rolls-Royce Group plc, has a majority holding in Tognum. AG and Rolls-Royce Group plc, has a majority holding in Tognum.

www.tognum.com

###